

ATLAS LED - Ref. 212020 / 81.25207-6074



The ATLAS LED beacon meets the high requirements of the manufacturer's specifications.

Special attention has been paid to the thermal management of LEDs to ensure optimum service life and operation in the most extreme situations.

The adapter support is available at the original dealer.

## TECHNICAL CHARACTERISTICS

Brand	Vignal
Product Type	Complete lamp
Manufacturer	Man
Voltage	9/32V
Source	LED
Consumption	11W
Color	Amber / Orange
Connector	Connector 2 pin
Fixation	3 vis on Ø 130mm (DIN 14620)
Lens Material	Polycarbonate
Diameter	140 mm
Height	82 mm
Weight	0,45 Kg
Flash Patterns	Rotative
IP protection	IP69K
Polarity	Protected against reverse voltage

[www.vignal-group.com](http://www.vignal-group.com) - [contact@vignal-group.com](mailto:contact@vignal-group.com)

France Lyon HQ : +33 (0)4 72 917 917  
 France Caen : +33 (0)2 31 74 73 13  
 France Le Mans : +33 (0)2 43 50 14 14

Switzerland Rancate : +41 (0) 91 640 50 80  
 US Mosinee : +1 715 693 1530  
 China Changzhou : +86 137 7686 3469



Print date : 04/09/2023


ATLAS LED - Ref. 212020 / 81.25207-6074

Operation Temperatures	-40°C to +80°C
EMC	CISPR25 Class 5, ECE R10
ECE	ECE R65
SAE	SAE Class 2
Industry	Vans and Chassis cab

APPLICATIONS

Manufacturer	Model	Reference	Start date	End date
MAN	TGA - TGL - TGM - TGX	81.25207-6074	03/2018	
MAN	TGA - TGL - TGM - TGX	81.25207-6074	03/2018	

OTHER VISUALS



ACCESSORIES

ATLAS LED - Ref. 212020 / 81.25207-6074



D13879

**CONN - Repair kit  
connector 2 way  
female position**